



NOTES:
 Below is the suggested post and girt spacing layout for one end when using steel gable framing kit (optional). This kit contains sufficient lengths of 2" square steel tubing to be field cut as per cutting schedule.
 Any deviations from noted post spacings will alter these lengths and may result in insufficient amounts of tubing.




A 6'-0" END FRAMING
 ST.01 SCALE: N.T.S.



D 4'-0" END FRAMING
 ST.01 SCALE: N.T.S.


POST & GIRT CUTTING SCHEDULE
 (3 PIECES OF 2" SQ. TUBE @ 288")
 (VERIFY LENGTHS IN FIELD)



- P1 THRU P2 = 132" (11'-0")
- G1 THRU G3 = 70" (5'-10")
- G4 THRU G9 = 58" (4'-10")


C POSTS & GIRTS
 ST.01 SCALE: N.T.S.

POST & GIRT CUTTING SCHEDULE
 (3 PIECES OF 2" SQ. TUBE @ 288")
 (VERIFY LENGTHS IN FIELD)




- P1 THRU P2 = 108" (9'-0")
- G1 THRU G3 = 70" (5'-10")
- G4 THRU G7 = 58" (4'-10")

F POSTS & GIRTS
 ST.01 SCALE: N.T.S.



B 6'-0" END FRAMING
 ST.01 SCALE: N.T.S.

4'-0" & 6'-0" WIDE POLYCARBONATE SHEETS
 SHEET #1 IS 48" WIDE x 132"(11'-0")
 SHEETS #2 & #3 ARE 72" WIDE x 126"(10'-6")
 REQUIRES 38 LINEAL FEET OF DOUBLE H-SPLICE
 REQUIRES 60 SCREWS



E 4'-0" END GLAZING
 ST.01 SCALE: N.T.S.

4'-0" & 6'-0" WIDE POLYCARBONATE SHEETS
 SHEET #1 IS 48" WIDE x 108"(9'-0")
 SHEETS #2 & #3 ARE 72" WIDE x 102"(8'-6")
 REQUIRES 30 LINEAL FEET OF DOUBLE H-SPLICE
 REQUIRES 50 SCREWS



313 S. Main St.
 Redmond, OR 97756
 Phone: 503-533-7955
 Fax: 503-533-4665
 Email: gpa@outpro.com

ENGINEERS' STAMP:
 ENGINEERS SEAL APPLIES TO DESIGN OF THIS PROJECT

REVISION RECORD

NO.	DATE	DESCRIPTION
1	01/22/08	
2	01/23/08	

GOLDEN PACIFIC

R.B.I. NO.:

DRAWN BY: XXX

DOCUMENT DATE: 04/20/07

SHEET TITLE: 16FT HOUSE

SHEET: **S1.01**