



NOTES:
Below is the suggested post and girt spacing layout for one end when using steel gable framing kit (optional). This kit contains sufficient lengths of 2" square steel tubing to be field cut as per cutting schedule. Any deviations from noted post spacings will alter these lengths and may result in insufficient amounts of tubing.




A 6'-0" END FRAMING
SCALE: N.T.S.



D 4'-0" END FRAMING
SCALE: N.T.S.


POST & GIRT CUTTING SCHEDULE
(4 PIECES OF 2" SQ TUBE @ 288")
(VERIFY LENGTHS IN FIELD)



C POSTS & GIRTS
SCALE: N.T.S.

P1 THRU P2 = 144" (12'-0")
G1 THRU G3 = 94" (7'-10")
G4 THRU G9 = 70" (5'-10")

POST & GIRT CUTTING SCHEDULE
(3 PIECES OF 2" SQ TUBE @ 288")
(VERIFY LENGTHS IN FIELD)



F POSTS & GIRTS
SCALE: N.T.S.

P1 THRU P2 = 120" (10'-0")
G1 THRU G3 = 94" (7'-10")
G4 THRU G7 = 70" (5'-10")



313 S. Harbor Blvd.
Redondo Beach, CA 90274
Phone: 909-543-7955
Fax: 909-589-4665
Email: gp@goldenpacific.com

ENGINEERS' STAMP:
ENGINEERS SEAL APPLIES TO COMPONENTS ONLY

REVISION RECORD


NO.	DATE	DESCRIPTION
1	11/22/07	ISSUED

GOLDEN PACIFIC

R.B.I. NO. :
DRAWN BY: XXX
DOCUMENT DATE: 04/20/07
SHEET TITLE: 20FT HOUSE


S2.01

B 6'-0" END GLAZING
SCALE: N.T.S.



4'-0" & 6'-0" WIDE POLYCARBONATE SHEETS
SHEETS #1 & #2 ARE 72" WIDE x 144" (12'-0")
SHEETS #3 & #4 ARE 48" WIDE x 120" (10'-0")
REQUIRES 48 LINEAL FEET OF DOUBLE H-SPLICE
REQUIRES 70 SCREWS

E 4'-0" END GLAZING
SCALE: N.T.S.



4'-0" & 6'-0" WIDE POLYCARBONATE SHEETS
SHEETS #1 & #2 ARE 72" WIDE x 120" (10'-0")
SHEETS #3 & #4 ARE 48" WIDE x 96" (8'-0")
REQUIRES 38 LINEAL FEET OF DOUBLE H-SPLICE
REQUIRES 65 SCREWS